Appl. No.:

09/896,853

From-Cognis Corp., Patent Dept.

Response dated September 25, 2003 Reply to Office action of July 11, 2003

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claims 1-10 (canceled)

Claim 11 (currently amended): An aqueous laundry detergent composition consisting essentially of comprising a hydroxy mixed ether and from about 25 to 75% by weight of water.

Claim 12 (previously presented): The composition of claim 11 wherein the hydroxy mixed ether corresponds to formula (I):

OH | R¹CH-CHR²O(CH₂CHR³O)_nR⁴

(l)

wherein R¹ is a linear or branched alkyl group containing from about 2 to 18 carbon atoms, R² is hydrogen or a linear or branched alkyl group containing from about 2 to 18 carbon atoms, R³ is hydrogen or methyl, R⁴ is a linear or branched alkyl or alkenyl group containing from 1 to about 22 carbon atoms and n is a number from 1 to about 50, and wherein the total number of carbon atoms in the substituents R¹ and R² is at least 6.

Claim 13 (previously presented): The composition of claim 11 wherein the hydroxy mixed ether is present in the composition in an amount of from about 1 to 60% by weight, based on the weight of the composition.

Claim 14 (previously presented): The composition of claim 11 wherein the hydroxy mixed ether is present in the composition in an amount of from about 10 to 15% by weight, based on the weight of the composition.

Claim 15 (Previously presented): The composition of claim 11 further comprising a co-

Page 2 of 8

P.004/009

F-944

T-395

09/896,853 Appl. No.:

Response dated September 25, 2003 Reply to Office action of July 11, 2003

From-Cognis Corp., Patent Dept.

surfactant component selected from the group consisting of an anionic surfactant, a nonionic surfactant, a cationic surfactant, an amphoteric surfactant, a zwitterionic surfactant, and mixtures thereof.

Claim 16 (previously presented): The composition of claim 15 wherein the co-surfactant component is present in the composition in an amount of from about 1 to 40% by weight, based on the weight of the composition.

Claim 17 (previously presented): A process for enhancing cleaning performance of an aqueous laundry detergent composition comprising adding a hydroxy mixed ether to the composition.

Claim 18 (previously presented) The process of claim 17 wherein the hydroxy mixed ether corresponds to formula

(l):

wherein R1 is a linear or branched alkyl group containing from about 2 to 18 carbon atoms, R² is hydrogen or a linear or branched alkyl group containing from about 2 to 18 carbon atoms, R3 is hydrogen or methyl, R4 is a linear or branched alkyl or alkenyl group containing from 1 to about 22 carbon atoms and n is a number from 1 to about 50, and wherein the total number of carbon atoms in the substituents R¹ and R² is at least 6. Claim 19 (previously presented) The process of claim 17 wherein the hydroxy mixed ether is present in the composition in an amount of from about 1 to 60% by weight, based on the weight of the composition.

(1)

Claim 20 (previously presented): The process of claim 17 wherein the hydroxy mixed ether

Page 3 of 8

Appl. No.: 09/896,853

Response dated September 25, 2003 Reply to Office action of July 11, 2003

is present in the composition in an amount of from about 10 to 15% by weight, based on the weight of the composition.

Claim 21 (previously presented): The process of claim 17 wherein the composition further comprises a co-surfactant component selected from the group consisting of an anionic surfactant, a nonionic surfactant, a cationic surfactant, an amphoteric surfactant, a zwitterionic surfactant, and mixtures thereof.

Claim 22 (previously presented): The process of claim 21 wherein the co-surfactant component is present in the composition in an amount of from about 1 to 40% by weight, based on the weight of the composition.

Claim 23 (previously presented): A process for cleaning textiles comprising contacting the textiles with an aqueous laundry detergent containing a hydroxy mixed either corresponding to formula (I):

OH

R¹CH-CHR²O(CH2CHR³O),R⁴

(1)

wherein R^1 is a linear or branched alkyl group containing from about 2 to 18 carbon atoms, R^2 is hydrogen or a linear or branched alkyl group containing from about 2 to 18 carbon atoms, R^3 is hydrogen or methyl, R^4 is a linear or branched alkyl or alkenyl group containing from 1 to about 22 carbon atoms and n is a number from 1 to about 50, and wherein the total number of carbon atoms in the substituents R^1 and R^2 is at least 6.